ELSEVIER

Forensic Science International
113 (2000) vii–xi

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts; Bulletin Signaletique; CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts; Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index.*

Special Issue

Selected Papers from the 4th International Symposium Advances in Legal Medicine – ISALM IV September 22–25, 1999, Mainz, Germany

Foreword
Ch. Rittner, R. Urban (Germany) 1

DNA Analysis

Multiple interchanging of tissue samples in cases of breast cancer
S. Banaschak, A. Du Chesne, B. Brinkmann (Germany) 3–7

Structural variations of the VWA locus in humans and comparison with non-human primates
K. Minaguchi, O. Takenaka (Japan) 9–16

Analysis of the co-amplified STR loci D1S1656, D12S391 and D18S51: population data and validation study for a highly discriminating triplex-PCR
K.-P. Schröer, C. Schmitt, M. Staak (Germany) 17–20

Population genetics of the STR loci HUMCSF1PO, HUMF13A01, HUMFES/FPS and D12S391 in Asturias (northern Spain)
B. Bell, P. Nievas, E. Abecia, B. Martínez-Jarreta, R. Hinojal, A. Martínez-Cordero (Spain) 21–23

Analysis of eight STR loci in two Hungarian populations
B. Egyed, S. Füredi, M. Angyal, L. Boutrand, A. Vandenberghe, J. Woller, Zs. Pádár (Hungary; France) . . . 25–27

Human autosomal short tandem repeat types in Jat Sikhs from North India
P.K. Chattopadhyay, S. Cleef, M. Duelmer, L. Henke, J. Henke (India; Germany) 29–32

Reliability of SE33 typing by capillary electrophoresis
T. Rothämel, W.J. Kleemann, H.D. Tröger (Germany) 33–38

Population genetics of ACTBP2 (SE33) in Western Saxony (Germany)
R. Lessig, J. Edelmann, Y. Akkad (Germany) 39–41

Y chromosomal short tandem repeat (STR) loci in a representative group of males living in South Württemberg: a database for application in forensic medicine
M. Graw, T. Seitz (Germany) 43–46

Haplotype frequencies and population data of nine Y-chromosomal STR polymorphisms in a German and a Chinese population
M. Hidding, C. Schmitt (Germany) 47–53

Distinguishing minisatellite mutation from non-paternity by MVR-PCR
K. Tamaki, C.H. Brenner, A.J. Jeffreys (UK) 55–62

Application of subpopulation theory to evaluation of DNA evidence
P. Wolańska-Nowak (Poland) 63–69

Efficiency of forensic mtDNA analysis. Case examples demonstrating the identification of traces
R. Szibor, M. Michael, I. Plate, D. Krause (Germany) 71–78
The personal identification of many samples recovered from under the sea
M. Mukaida, H. Kimura, Y. Takada, T. Masuda, Y. Nakata (Japan) 79–85
Extraction and amplification of authentic DNA from ancient human remains
E. Meyer, M. Wiese, H. Bruchhaus, M. Claussen, A. Klein (Germany) 87–90
DNA typing of human remains found in damp environments
M. Graw, H.-J. Weisser, S. Lutz (Germany) 91–95
Is it possible to differentiate mtDNA by means of HVIII in samples that cannot be distinguished by sequencing the HVI and HVII regions?
S. Lutz, H. Wittig, H.-J. Weisser, J. Heizmann, A. Junge, N. Dimo-Simonin, W. Parson, J. Edelmann, K. Anslinger, S. Jung, C. Augustin (Germany) 97–101
Application of mtDNA sequence analysis in forensic casework for the identification of human remains
K. Bender, P.M. Schneider, C. Rittner (Germany) 103–107
Quantification of mitochondrial DNA in human blood cells using an automated detection system
C. Meissner, S.A. Mohamed, H. Klueter, K. Hamann, N. von Wurmb, M. Oehmichen (Germany; USA) . . . 109–112
Mitochondrial DNA in the central european population. Human identification with the help of the forensic mt-DNA D-Loop-Base Database
H. Wittig, C. Augustin, A. Baasner, U. Bulnheim, N. Dimo-Simonin, J. Edelmann, S. Hering, S. Jung, S. Lutz, M. Michael, W. Parson, M. Poetsch, P.M. Schneider, G. Weichhold, D. Krause (Germany; Switzerland; Austria) 113–118
An autopsy case of Klinefelter's syndrome suspected and its DNA analysis
K. Hayashi, Y. Hanaoka, S. Matsumura, T. Takagi, M. Kajiwara, N. Tamaki, K. Minaguchi, Y. Sato (Japan) 119–125
Novel approach to quantitative reverse transcription PCR assay of mRNA component in autopsy material using the TaqMan fluorogenic detection system: dynamics of pulmonary surfactant apoprotein A
K. Ishida, B.-L. Zhu, H. Maeda (Japan) 127–131
Association between LDLR polymorphism and diseases in the Japanese population: aging and distribution of the polymorphism
M. Hara, A. Takada, A. Ro, K. Saito, A. Kido (Japan) 133–137
Evaluation of ABO and Lewis genotypes using primer extension preamplification
Y. Itoh, R. Kobayashi (Japan) 139–141
Puromycin-sensitive alanyl aminopeptidase from human liver cytosol: purification and characterization
Y. Yamamoto, Y.H. Li, I. Ushiyama, A. Nishimura, I. Ohkubo, K. Nishi (Japan) 143–146
Molecular cloning and immunohistochemical localization of rat dipeptidyl peptidase III
I. Ohkubo, Y.-H. Li, T. Maeda, Y. Yamamoto, T. Yamane, P.-G. Du, K. Nishi (Japan) 147–151

Forensic Pathology and Variations

Forensic wound examination
T. Ohshima (Japan) 153–164
Fatal outcome in a case of pontocerebellar hypoplasia type 2
W. Grellner, K. Rohde, J. Wilske (Germany) 165–172
Expression of adhesion molecules in skin wounds: diagnostic value in legal medicine
J. Dressler, L. Bachmann, P. Strejc, R. Koch, E. Müller (Germany; Czech Republic) 173–176
Immunohistochemical distribution of C-reactive protein in the hepatic tissue in forensic autopsy
L. Quan, M.Q. Fujita, B.-L. Zhu, K. Ishida, H. Maeda (Japan) 177–182
Quantitative analysis of pulmonary neuroendocrine cell distribution of the fetal small airways using double-labeled immunohistochemistry
K. Aita, M. Doi, K. Tanno, H. Oikawa, Myo-Thaik-Oo, N. Ohashi, S. Misawa (Japan) 183–187
A sandwich enzyme immunoassay for human pancreatic elastase III
E. Kakizaki, Y. Seo, K. Takahama (Japan) 189–192
Immunohistochemistry of pulmonary surfactant apoprotein A in forensic autopsy: reassessment in relation to the causes of death
B.-L. Zhu, K. Ishida, L. Quan, M.Q. Fujita, H. Maeda (Japan) 193–197

Tissue distribution of components of the insulin-like growth factor system in sudden infant death and controls
A.S. Debertin, S. Körwitz, T. Tschernig, W.J. Kleemann, W. Götz (Germany) 199–204
Medico–legal studies on infanticide: statistics and a case of repeated neonaticide
M. Yamauchi, S. Usami, R. Ikeda, N. Echizen, N. Yoshioka (Japan) 205–208
Papillary fibroelastoma of the aortic valve: a sudden death case of coronary embolism with myocardial infarction
A. Takada, K. Saito, A. Ro, S. Tokudome, T. Murai (Japan) 209–214
Child and elderly victims in forensic autopsy during a recent 5 year period in the southern half of Osaka city and surrounding areas
B.-L. Zhu, S. Oritani, K. Ishida, L. Quan, S. Sakoda, M.Q. Fujita, H. Maeda (Japan) 215–218
Determination of time-dependent skin temperature decrease rates in the case of abrupt changes of environmental temperature
G. Mall, M. Hubig, G. Beier, A. Büttner, W. Eisenmenger (Germany) 219–226
Pathogenesis of heroin-associated glomerulonephritis. Correlation between the inflammatory activity and renal deposits of immunoglobulin and complement?
R. Dettmeyer, G. Stojanovski, B. Madea (Germany) 227–231
Effect of toluene inhalation on astrocytes and neurotrophic factor in rat brain
T. Gotohda, I. Tokunaga, S.-i. Kubo, K. Morita, O. Kitamura, A. Eguchi (Japan) 233–238
Direct effects of methamphetamine on hypertrophy and microtubules in cultured adult rat ventricular myocytes
Y. Maeno, M. Iwasa, H. Inoue, H. Koyama, R. Matoba, M. Nagao (Japan) 239–243
Mechanism responsible for the formation of focal swellings on injured neuronal processes using a novel in vitro model of axonal injury
Y. Nakayama, Y. Aoki (Japan) 245–249
Quantitative analysis of proinflammatory cytokines (IL-1β, IL-6, TNF-α) in human skin wounds
W. Grellner, T. Georg, J. Wilske (Germany) 251–264
Lectin-histochemical detection of degenerative glycoconjugate deposits in human brain
A. Nishimura, S. Sawada, I. Ushiyama, Y. Yamamoto, T. Nakagawa, A. Tanegashima, K. Nishi (Japan) . . . 265–269
The organized subdural blood clot in forensic case work — a case report
S. Ogbuihi, T. Fink (Germany) 271–276
Use of the software 'Poser4' in reconstruction of accident and crime scenes
P. Neis, T. Fink, M. Dilger, Ch. Rittner (Germany) 277–280
Matching tire tracks on the head using forensic photogrammetry
M.J. Thali, M. Braun, W. Brüschweiler, R. Dirnhofer (Switzerland) 281–287
Streifenlichttopometrie (SLT). A new method for the three-dimensional photorealistic forensic documentation in colour
J. Subke, H.-D. Wehner, F. Wehner, S. Szczepaniak (Germany) 289–295
Questioning the psycho-socio-cultural factors that contribute to the cases of suicide attempts: an investigation
B. Tüzün, O. Polat, S. Vatansever, I. Elmas (Turkey) 297–301
The attitudes of medical students to autopsy
M.A. İnanıcı, M.Ş. Sözen, N. Alkan, N. Arıcan, M.E. Aksoy (Turkey) 303–308
Forensic entomology in Germany
J. Amendt, R. Krettek, C. Niess, R. Zehner, H. Bratzke (Germany) 309–314
Determination of sex from femora
G. Mall, M. Graw, K.-D. Gehring, M. Hubig (Germany) 315–321

Forensic Toxicology

Threshold values in toxicology — useful or not?
R. Wennig (Luxembourg) 323–330
Situations of poisoning and analytical toxicology in Japan
O. Suzuki, H. Seno, K. Watanabe-Suzuki, A. Ishii (Japan) 331–338
Identification of lorazepam and sildenafil as examples for the application of LC/ionspray-MS and MS–MS with mass spectra library searching in forensic toxicology
W. Weinmann, N. Lehmann, C. Müller, A. Wiedemann, M. Svoboda (Germany) 339–344

Dual-label time-resolved fluoroimmunoassay of psychopharmaceuticals and stimulants in serum
H. Kimura, M. Mukaida, G. Wang, J. Yuan, K. Matsumoto (Japan) 345–351
Comparison of nonradioactive microtiter plate enzyme immunoassays for the sensitive detection of fentanyl
H. Käferstein, G. Sticht (Germany) 353–357
Determination of dopamine and dopamine-derived (*R*)-/(*S*)-salsolinol and norsalsolinol in various human brain areas using solid-phase extraction and gas chromatography/ mass spectrometry
F. Musshoff, P. Schmidt, R. Dettmeyer, F. Priemer, K. Jachau, B. Madea (Germany) 359–366
Screening and determination of benzodiazepines in whole blood using solid-phase extraction and gas chromatography/mass spectrometry
H. Inoue, Y. Maeno, M. Iwasa, R. Matoba, M. Nagao (Japan) 367–373
Automated determination of carboxyhemoglobin contents in autopsy materials using head-space gas chromatography/mass spectrometry
S. Oritani, B.-L. Zhu, K. Ishida, K. Shimotouge, L. Quan, M.Q. Fujita, H. Maeda (Japan) 375–379
Simultaneous determination of THC-COOH and THC-COOH-glucuronide in urine samples by LC/MS/MS
W. Weinmann, S. Vogt, R. Goerke, C. Müller, A. Bromberger (Germany) 381–387
Hallucinogenic mushrooms on the German market — simple instructions for examination and identification
F. Musshoff, B. Madea, J. Beike (Germany) 389–395
Hypothalamo–pituitary–adrenal axis activation by administration of cyanamide: a potent inhibitor of aldehyde dehydrogenase
H. Kinoshita, M.S. Harbuz, D.S. Jessop, D.P. Finn, S. Ameno, K. Ameno, T. Kubota, I. Ijiri (UK; Japan) . . 397–402
Detection of psilocin in body fluids
G. Sticht, H. Käferstein (Germany) 403–407
Fatal intoxication with melperone
S. Stein, A. Schmoldt, M. Schulz (Germany) 409–413
Identification of selected psychopharmaceuticals and their metabolites in hair by LC/ESI-CID/MS and LC/MS/MS
C. Müller, S. Vogt, R. Goerke, A. Kordon, W. Weinmann (Germany) 415–421
Numerical density of δ-opioid receptor expressing neurons in the frontal cortex of drug-related fatalities
P. Schmidt, C. Schmolke, F. Mußhoff, M. Menzen, C. Prohaska, B. Madea (Germany) 423–433
The neuropathology of heroin abuse
A. Büttner, G. Mall, R. Penning, S. Weis (Germany) 435–442
Methamphetamine-related fatalities in forensic autopsy during 5 years in the southern half of Osaka city and surrounding areas
B.-L. Zhu, S. Oritani, K. Shimotouge, K. Ishida, L. Quan, M.Q. Fujita, M. Ogawa, H. Maeda (Japan) 443–447
Methadone-related fatalities in Hamburg 1990–1999: implications for quality standards in maintenance treatment?
A. Heinemann, S. Iwersen-Bergmann, S. Stein, A. Schmoldt, K. Püschel (Germany) 449–455
Suicide by insulin injection in combination with β-blocker application
M. Junge, M. Tsokos, K. Püschel (Germany) 457–460

Law and Ethics

Is embryo research and preimplantation genetic diagnosis ethical?
D. Beyleveld (UK) 461–475
The conflict of understanding the genetic make-up of man and his knowledge of it
J. Taupitz (Germany) 477–482
Parental care and authority versus the prosperity of the child — reflections on the present legal status in Germany
W. Eisenmenger (Germany) 483–486
Living testaments and medical decisions
R. Wegener (Germany) 487–489
Organ transplantation, in-vitro fertilization, and euthanasia in Japan
Y. Katsumata (Japan) 491–493
Recent developments in cornea transplantation (1997–1999)
J. Wulf, J. Bednarz, M. Junge, K. Engelmann, K. Püschel (Germany) 495–496

An historical review of criminal abortion
D.J. Williams, A.J. Pritchard, A.J. Ansford (Australia) 497–499
Euthanasia in Israeli law
D.A. Frenkel (Israel) 501–504
Withdrawal of artificial nutrition in the persistent vegetative state: a continuous controversy
P. Schmidt, R. Dettmeyer, B. Madea (Germany) 505–509
Teaching scientific integrity and research ethics
G. Sponholz (Germany) 511–514
Narrative approach to ethics education for students without clinical experience
M. Miyasaka, H. Yamanouchi, K. Dewa, K. Sakurai (Japan) 515–518
Acknowledgement 519
Author index 521–522
Subject index 523–531